

10/530219

1/31




FIG. 1

Parts List

KEY	GP(PART)	GR(DESIGNATION)	LEVEL
100	Base	Tray, Feeder	1
200	Top Cover	Cover, Button	2
300	Panel	Panel	2

FIG. 2

10/530219

2/31




FIG. 3

10/530219

3/31




FIG. 4

10/550219

4/31




FIG. 5A




FIG. 5B




FIG. 6A

5/31




FIG. 6B

Process	Operation
Process-1	Step 1
	Step 2
	Step 3

FIG. 6C

6/31




FIG. 7A

7/31




FIG. 7B




FIG. 7C

8/31

Process	Operation	
Process-1	Process-2	Step 1
	Process-3	Step 2
	Process-4	Step 3

FIG. 7D




FIG. 8A

FIG. 8B

FIG. 8C




FIG. 8D

Process	Operation	
Process-1	Process-2	Step 1
	Process-3	Step 2

FIG. 8E

10/530219

9/31

Parts List

KEY	GP(PART)	GR(DESIGNATION)	LEVEL
1	G1	G1	1
2	G2	G2	2
3	Gp1	G3, G4	2

FIG. 8F




FIG. 9A




FIG. 9B

10/31

Process			Operation
Process-1	Process-2	Process-3	Step 1
		Process-4	Step 2
	Process-2		Step 3

FIG. 9C




FIG. 10A




FIG. 10B

10/530219

11/31




FIG. 11

10/530219

12/31

9

BP[0] (CRD[0])

GR[0] (DIR[0])

BP[1] (CRD[1], DIR[1])

GR[1] (DIR[2])

MP[0] (CRD[2])

GR[2] (DIR[3])

GR[3] (DIR[4])

MP[1] (CRD[3])

GP[0] (DIR[5])

GR[4]

GR[5]

GR[6]

MP[2] (CRD[4])

GR[7] (DIR[6])

GR[8] (DIR[7])

FIG. 12




FIG. 13

10/530219

13/31




FIG. 14

10/530219

14/31




FIG. 15




FIG. 16

10/530219

15/31




FIG. 17

The dialog box is titled "Process Properties" (26). It contains tabs for "System", "Process Animation", "Custom", and "Element Information". The "System" tab is selected. The "User ID" field contains "saw assembly". The "Type" field is set to "Basic Process". The "Man-Hour" field is empty. The "Comment" field contains the text "XVL Studio Process Design Option" and "Tutorial for Entire Saw Assembly". At the bottom are buttons for "OK", "Cancel", and "Apply (A)".

FIG. 18

10/530219

16/31




FIG. 19




FIG. 20

10/530219

17/31




FIG. 21




FIG. 22

10/530219

18/31




FIG. 23




FIG. 24A

19/31




FIG. 24B

10/530219

20/31




FIG. 25

10/530219

21/31




FIG. 26

10/530219

22/31




FIG. 27

10/530219

23/31




FIG. 28




FIG. 29

24/31




FIG. 30

10/530219

25/31




FIG. 31A




FIG. 31B

10/5/2019

26/31




FIG. 32

10/25/2019

27/31




FIG. 33




FIG. 34

28/31





FIG. 35

10/530219

29/31




FIG. 36

10/530219

30/31




FIG. 37




FIG. 38

10/530219

31/31




FIG. 39